Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME IX.

ACCIPITER atricapillus, 67.
bicolor, 328.
cooperi, 212, 233, 288.
gundlachi, 272.
velox, 43, 74, 212, 233, 328, 354, 361.
Actitis macularia, 14, 43, 212, 232, 329.
Æchmophorus clarkii, 65.
occidentalis, 41.
Ægialitis meloda, 15, 212, 306.
nivosa, 192.
semipalmata, 15, 147, 212, 354.
vocifera, 14, 48, 134, 204, 212, 233, 272, 290, 329, 354, 360.
wilsonia, 15, 48, 212.
Agelaius gubernator, 45.
humeralis, 272.
phœniceus, 30, 35, 38, 133, 136, 204, 205, 237, 286, 364.
phœniceus bryanti, 213.
xanthomus, 229.
Agyrtria tobaci, 377.
Aithurus polytmus, 277.
Aix sponsa, 42, 66, 74, 211, 232, 272, 384.
Ajaja ajaja, 9, 211.
Alca impennis, 198.
Allen, C. S., the breeding habits of the Fish Hawks on Plum Island, New York, 313.
Allen, J. A., notice of his 'The North American species of the genus *Colaptes*', etc., 177.
Amazilia fuscicaudata, 325.
sophiæ, 325.
Amazona agilis, 128.
collaria, 128.
Amblycercus holosericeus, 249.
American Ornithologists' Union, ninth congress of, 56.
American Ornithologists' Union Check-List of North American Birds, fourth supplement to the, 105.
Ammodramus bairdii, 365.
caudacutus becki, 107, 175.
caudacutus nelsoni, 107.
henslowii, 31, 39, 213.
henslowii occidentalis, 106.
princeps, 204.
sandwichensis, 45, 355.
sandwichensis alaudinus, 45, 338, 355, 365.
sandwichensis savanna, 33, 36, 133, 137, 204, 213.
savannarum passerinus, 28, 31, 39, 137, 213, 338.
savannarum perpallidus, 338.
Ampelis cedrorum, 138, 213, 340.
Amphispiza belli, 288.
belli nevadensis, 288.
bilineata, 234, 338.
Anas americana, 42, 160, 165, 198, 211, 231, 304.
boschas, 41, 160–162, 165, 198, 211, 231, 354, 383, 385.
breweri, 162.
carolinensis, 198, 199, 211, 231, 353, 359, 384.
cyanoptera, 232.
discors, 69, 211, 231, 329, 359, 360, 383.
fulvigula, 211, 214.
hyperboreus, 196.
maxima, 165.
obscura, 74, 165, 223, 231, 335.
penelope, 165.
strepera, 42, 152, 191, 198, 231.
Anhinga anhinga, 192, 211, 231, 288.
Anhinga, 191, 231.
Ani, 273, 369.
Anous stolidus, 211, 289.
Anser albatus, 196.
albifrons gambeli, 345, 384.
Anthony, A. W., birds of southwestern New Mexico, 357.
Anthus pensilvanicus, 28, 33, 37, 46, 214, 342, 367.

Anthus richardi, 289.
spragueii, 342.
Antrostomus carolinensis, 35, 213, 235, 276,
rufomaculatus, 174.
sericeocaudatus, 175
vociferus, 35, 174, 201, 213, 218, 235, 307.
Aphelocoma californica, 301.
californica obscura, 188.
floridana, 213.
woodhousei, 364.
Aquila chrysaëtos, 43, 200, 201, 287.
fulvà, 186.
Ara tricolor, 129.
Aramus giganteus, 11, 212.
Arbelorhina cyanea, 23.
lucida, 23.
Ardea candidissima, 10, 211, 360
cœrulea, 10, 194, 211, 232, 272, 286, 329, 397.
egretta, 10; 211, 329.
herodias, 9, 42, 232, 286, 329.
occidentalis, 9, 211, 272.
rufescens, 10, 211.
tricolor ruficollis, 10, 48, 211.
virescens, 10, 48, 134, 211, 232, 272, 290, 329.
wardi, 211.
wuerdemanni, 211.
Arenaria interpres, 15, 48, 147, 212, 306.
melanocephala, 354.
Arremon aurantiirostris, 173.
aurantiirostris saturatus, 173.
Asio accipitrinus, 234, 355.
wilsonianus, 234, 361.
Atthis heloisa, 377.
Atticora cyanoleuca montana, 22.
Attwater, H. P., list of birds observed in the vicinity of San Antonio, Bexar County, Texas, 229, 337; Warblers destroyed by a 'norther,' 303.
Auk, Great, 100.
Auklet, Cassin's, 353.
Auriparus flaviceps, 344, 368.
flaviceps ornatus, 287.
Avocet, American, 12, 232, 360.
Aythya affinis, 42, 211, 232, 304.
americana, 162, 232, 304, 384.
collaris, 74, 162, 211, 232, 384.
marila nearctica, 42, 198, 304, 345, 384.
vallisneria, 42, 162, 198, 232, 384.
BALDPATE, 42, 231, 304.
Bartramia longicauda, 14, 31, 48, 212, 232, 289, 305, 329.
Basileuterus delattrii, 22, 173.
salvini, 173.
Batchelder, C. F., *Thryothorus ludovicianus* in Massachusetts, 73; *Vireo olivaceus* in British Columbia and Washington, 395.
Beetle-head, 144.
Bendire, C. E., notice of his 'Directions for collecting, preparing, and preserving birds' eggs and nests, 175; notice of his 'Life histories of North American birds', 375.
Bird, Bee, 339,
Butcher, 387.
May, 274.
Phebee, 286.
Reed, 286.
Tropic, 229.
Whale, 294.
White Bank, 299.
Bittern, American, 9, 42, 232, 290.
Cory's, 141.
Least, 9.
Blacicus caribæus, 272.
Blackbird, 369.
Bicolored, 45.
Brewer's, 45, 238, 364.
Red-winged, 30, 35, 38, 133, 136, 237, 364.
Savanna, 273.
Yellow-headed, 237, 364.
Blakiston, T. W., death of, 75.
Bluebill, 345.
Bluebird, 31, 141.
Arctic, 369.
Mountain, 47.
Western, 47, 310, 369.
Blue-legs, 348.
Bobo, 323, 326.
Bobolink, 33, 35, 72.
Bob-white, 120, 385.
Texan, 233.
Bolles, F., notice of his 'Land of the lingering snow,' 62; young Sapsuckers in captivity, 109.
Bonasa umbellus, 67–69, 134, 384–387.
umbellus sabini, 43.
umbellus togata, 194.
Botaurus exilis, 9, 142, 211.
lentiginosus, 9, 42, 211, 232, 290, 383.
neoxenus, 141, 211, 214.
Brachygalba fulviventris, 184.
Brachyramphus marmoratus, 353.

Brant, 305.
Black, 42, 354.
Branta bernicla, 305.
canadensis, 42, 232, 334–386.
canadensis hutchinsii, 385.
nigricans, 42, 354.
Brimley, H. H., *Pavoncella pugnax* in North Carolina, 299.
Buarremon gutturalis, 25.
Bubo virginianus, 212.
virginianus saturatus, 355.
virginianus subarcticus, 234, 361.
Bufflehead, 42, 232.
Bull-head, 144.
Bulweria bulweri, 176.
Bunting, Indigo, 138, 339.
Lark, 339, 366.
Lazuli, 231, 366.
Painted, 236, 339.
Snow, 68, 282.
Burmeister, H., death of, 399.
Buteo abbreviatus, 361.
borealis, 28, 30, 126, 212, 234.
borealis calurus, 354, 361.
brachyurus, 212, 328.
latissimus, 212, 328.
lineatus, 135.
lineatus alleni, 212, 234.
lineatus elegans, 234.
swainsoni, 234, 328, 361.
Butler, A. W., notes on the range and habits of the Carolina Parrakeet, 49; some notes concerning the Evening Grosbeak, 238.
Buzzard, Red-tailed, 126.
Turkey, 125, 203, 204, 397.

CAIRINA moschata, 165.
Calamospiza melanocorys, 339, 366.
Calcarius lapponicus, 282.
ornatus, 337, 365.
Calidris arenaria, 13, 72, 212.
Callipepla californica, 43, 196.
gambeli, 198, 360, 386.
squamata, 360.
squamata castaneogastris, 233.
Callothrus robustus, 25, 26, 237, 250.
Campephilus guatemalensis, 327.
principalis, 67, 68, 212, 218.
Camptolaimus labradorius, 194, 389.
Campylorhynchus brunneicapillus, 288, 342, 368.
Campylopterus hemileucurus, 324.
Canvasback, 42, 198, 232.
Capito salvini, 184.
Caracara, Audubon's, 234.
Cardinal, 31, 339.
Gray-tailed, 106.
Texan, 339.
Cardinalis cardinalis, 31, 204, 213, 339.
cardinalis canicaudus, 65, 106.
Carduelis elegans, 301.
Carpodacus hæmorrhous, 196.
mexicanus, 196.
mexicanus frontalis, 287, 364.
purpureus, 29, 137.
purpureus californicus, 355.
Catbird, 140, 342.
Catharista atrata, 126, 204, 212, 215, 233, 328.
Cathartes aura, 125, 190, 203, 204, 212, 215, 233, 272, 328, 361, 397.
Catherpes mexicanus conspersus, 287, 342.
mexicanus punctulatus, 368.
Cedarbird, 138.
Centropus purpureus, 184.
Centurus bahamensis, 270.
blakei, 270.
hoffmanni, 327.
radiolatus, 275, 374.
superciliaris, 272.
Ceophlœus pileatus, 135, 213, 218, 286, 355.
Certhia familiaris americana, 29, 134, 140, 343.
familiaris mexicana, 343.
familiaris occidentalis, 47, 310.
Ceryle alcyon, 44, 48, 135, 212, 234, 274, 362, 373.
cabanisi, 234, 323.
Chætura brunneitorques, 324.
pelagica, 136, 205, 213, 235, 285, 307.
Chamberlain, M., notice of his revised edition of Nuttall's 'Manual,' 59.
Chapman, F. M., notice of his paper on the birds of Corpus Christi, 65; notice of his paper, 'On the color pattern of the upper tail-coverts in *Colaptes auratus*,' 66; notice of his 'Origin of the avifauna of the Bahamas, 179; notice of his 'Preliminary study of the Grackles of the

subgenus *Quiscalus*,' 180; on the breeding of *Helminthopila pinus* with *H. leucobronchialis*, at Englewood, New Jersey, 302; melanism in a caged Wood Thrush, 303.
Charadrius dominicus, 14, 17–20, 144, 147, 148, 199, 212, 232, 289, 329, 384, 389.
squatarola, 14, 143, 212, 300, 306, 360.
vanellus, 289.
Charitonetta albeola, 42, 211, 232.
Chat, Long-tailed, 367.
Yellow-breasted, 342.
Chaulelasmus streperus, 191.
Chelidon erythrogaster, 22, 46, 48, 138, 206, 213, 307, 340, 356, 366.
Chen hyperborea, 196, 232, 384, 385.
hyperborea nivalis, 196, 211.
rossii, 385.
Cheney, S. P., notice of his 'Wood notes wild', 280.
Cherrie, G K., a preliminary list of the birds of San Jose, Costa Rica, 21, 247, 322; notice of two papers by him on Costa Rican birds, 173.
Chickadee, 67, 281.
Black-capped, 140.
Carolina, 35, 37.
Chestnut-backed, 47.
Mountain, 47.
Plumbeous, 344.
Chicken, Prairie, 66, 189, 231, 283.
Chiroxiphia linearis, 322.
Chlorostilbon angustipennis, 325.
salvini, 325.
Chondestes grammacus, 213, 338, 397.
grammacus strigatus, 338, 365.
Chordeiles minor, 276.
texensis, 235, 324, 362.
virginianus, 136, 190, 205, 276, 308.
virginianus chapmani, 213, 276.
virginianus henryi, 235, 309,
Chrysolophus pictus, 385.
362.
Chrysotis festiva, 89.
levaillanti, 288.
Chuckle-head, 144
Chuck-will's-widow, 35, 235, 276.
Cinclus mexicanus, 46, 386.
Circus hudsonius, 212, 233, 289, 328, 355, 361.
Cistothorus marianæ, 214.
palustris, 204, 214, 286, 343.
palustris paludicola, 343, 357.
stellaris, 202, 204, 214, 284, 343.
Clangula hyemalis, 191, 305, 330, 354, 397.
Clivicola riparia, 46, 213, 340, 356, 367.
Coccothraustes vespertinus, 67, 68, 187, 190, 203, 238, 283.
Coccyzus americanus, 48, 135, 205, 212, 234, 274, 327, 372.
americanus occidentalis, 44, 393.
dominicæ, 184.
erythrophthalmus, 135, 212, 327.
minor, 184, 212, 274, 326, 372.
minor dominicæ, 184.
minor maynardi, 48, 184, 372.
Cœreba bahamensis, 48, 49.
Colaptes auratus, 30, 36, 38, 66, 135, 161, 163, 177–179, 204, 205, 213, 235.
cafer, 44, 99, 161, 163, 177–179, 235, 309, 362.
cafer saturatior, 177, 179, 309.
chrysocaulosus, 178, 272.
chrysoides, 177–179.
gundlachi, 178.
hybridus, 161, 163.
mexicanoides, 177, 178.
mexicanus saturatior, 196.
rufipileus, 177, 179.
Colinus cubanensis, 271, 272.
leylandi, 329.
virginianus, 67, 68, 120, 204, 281, 283, 384, 385.
virginianus floridanus, 212.
virginianus texanus, 233.
Columba albilinea, 328.
caribea, 122.
fasciata, 43.
inornata, 122.
leucocephala, 48, 122, 212, 272.
livia, 164.
rufina, 123.
Columbigallina passerina, 48, 72, 123, 124, 212, 233, 272, 329.
passerina bahamensis, 124.
Colymbus auritus, 211.
nigricollis californicus, 192.
Compsothlypis americana, 31, 35, 37, 38, 48, 138, 213, 273, 303, 308, 340.
Contopus blancoi, 229.
borealis, 236, 251, 363.

Contopus brachytarsus, 251.
richardsonii, 44, 236, 251, 363.
richardsonii peninsulæ, 106.
virens, 136, 213, 236, 251, 281, 308.
Conuropsis carolinensis, 278.
Conurus carolinensis, 49, 206, 212, 218, 278, 301, 384, 385.
chloropterus, 228.
finschi, 327.
flaviventer, 129.
gundlachi, 229.
nanus, 128.
petzii, 327.
Coombs, F. E., notes on a few Louisiana birds, 204.
Coot, 12.
American, 12, 232, 360.
Cormorant, Double-crested, 192.
Violet-green, 309.
Correo de Agua, 323.
Corvus americanus, 33, 69, 136, 222, 231, 283, 287, 317, 318, 332, 354.
americanus floridanus, 213.
caurinus, 45.
corax, 88.
corax principalis, 385.
corax sinuatus, 45, 62, 136, 364.
cryptoleucus, 364.
hawaiensis, 282.
ossifragus, 213.
Cory, C. B., a list of birds taken on Maraguana, Watling's Island, and Inagua, Bahamas, during July, August, September, and October, 1891, 48; remarks on a collection of birds made by Wilmot W. Brown, Jr., on Mona and Porto Rico during February and a part of March, 1892, 228; description of an apparently new *Centurus* from Great Bahama Island, Bahamas, 270; in Cuba with Dr. Gundlach, 271.
Coues, E., wintering of the Canvasback in Arizona, 198; nesting of the Golden Eagle in Arizona, 201; original description of Lewis's Woodpecker, 394.
Cowbird, 136, 237, 302, 364, 386.
Bronzed, 25, 237.
Dwarf, 237.
Crake, Little Red-eyed, 11.
Minute, 11.
Striated, 11.
Crane, Sandhill, 42, 232.
Creagrus furcatus, 172.
Creeper, Brown, 29, 140, 343.
Californian, 47, 310.
Crossbill, American, 45, 137, 190, 196.
Crotophaga ani, 272, 273, 369.
sulcirostris, 325.
Crow, 69, 126, 136, 283, 287, 317, 318, 332, 354.
American, 33, 222.
Carrion, 204.
John, 125.
Northwest, 45.
Crymophilus fulicarius, 67, 294–299.
Cuckoo, Black-billed, 135.
Black-eared, 274.
California, 44, 393.
Mangrove, 274.
Yellow-billed, 234, 274, 372.
Curlew, Black, 14.
Eskimo, 16.
European, 390.
Foolish, 348.
Hudsonian, 21, 43, 306, 345.
Long-billed, 14, 232, 350, 354, 360, 390.
Cuyéo, 324.
Cyanocitta cristata, 136, 231, 385.
cristata florincola, 213.
stelleri, 45, 309, 355.
stelleri frontalis, 355.
Cyanocorax cayanus, 282.
cyanomelas, 282.
cyanopogon, 282.
heilprini, 282.
Cyclorhis flavipectus subflavescens, 23.
Cypseloides niger, 276, 324.
Cypselus phœnicobius, 272, 276.
Cyrtonyx montezumæ, 231, 360.

DAFILA acuta, 74, 198, 211, 232, 335, 384.
Deconychura typica, 173.
Dendragapus canadensis, 190.
obscurus, 385.
obscurus fuliginosus, 43, 309.
Dendrocygna arborea, 272.
fulva, 69.
Dendroica æstiva, 21, 46, 138, 213, 286, 307, 340, 367.
æstiva morcomi, 65.
audubonii, 46, 310, 357, 367.
blackburniæ, 21, 35, 37, 38, 49, 132–134, 139, 213, 308, 341.
cærulea, 21, 35, 213.

Dendroica cærulescens, 36–38, 132–134, 138, 139, 213, 273, 308.
castanea, 37, 307.
chrysoparia, 341.
coronata, 33, 37, 132, 204, 213, 303, 340.
discolor, 36, 48, 49, 214, 273, 307.
dominica, 21, 31, 32, 35, 48, 49, 213, 273.
dominica albilora, 303, 341.
kirtlandi, 63.
maculosa, 49, 133, 134, 139, 213, 340.
nigrescens, 46, 357, 367.
nigrifrons, 207.
occidentalis, 46.
palmarum, 29, 36, 49, 214, 273.
palmarum hypochrysea, 214, 273, 397.
pensylvanica, 35, 36, 133, 139, 396.
petechia gundlachi, 48, 49.
striata, 37, 38, 49, 213, 307.
tigrina, 38, 49, 213.
townsendi, 367.
vigorsii, 28–30, 139, 213, 341.
virens, 31, 36–38, 49, 132, 133, 139, 213, 341.
Dendrornis lawrencei, 173.
lawrencei costaricensis, 173.
mentalis, 288
nana, 173.
nana costaricensis, 173.
Dickcissel, 234, 339.
Diplopterus nævius, 326.
Dipper, American, 46.
Doctor-bird, 277.
Dolichonyx oryzivorus, 33, 35, 48, 72, 213, 286.
Doughbird, 16.
Dove, 69.
Blue, 125.
Blue-headed, 271.
Ground, 72, 123, 124, 233.
Inca, 233.
Mourning, 135, 233, 360.
Partridge, 124.
Pea, 123.
Red-necked, 125.
White-winged, 123, 124, 233.
Zenaida, 123.
Dowitcher, 13.
Long-billed, 13, 345, 354.
Dryobates borealis, 212.
jardinii, 327.
pubescens, 37, 69, 114, 135, 195, 212.
Dryobates scalaris bairdi, 234, 358, 362.
villosus, 135.
villosus audubonii, 212.
villosus harrisii, 44, 309.
Duck, American Scaup, 42.
American Scoter, 157.
Black, 165, 223, 231, 335.
Fulvous Tree, 69.
Harlequin, 69.
Labrador, 194, 389.
Lesser Scaup, 42, 232.
Muscovy, 165.
Pied, 194.
Ring-necked, 232.
Ruddy, 42, 345.
Scaup, 345.
Scoter, 157.
Wood, 42, 74, 232.
Dutcher, W., a specimen of *Numenius arquatus* said to have been taken on Long Island, N. Y., 390.
Dwight, J., Jr., summer birds of the crest of the Pennsylvania Alleghanies, 129; the Prairie Horned Lark in northeastern Pennsylvania, 202.
Eagle, Bald, 43, 135, 386.
Golden, 43, 200, 201, 287.
Ectopistes migratorius, 67, 286, 385, 386.
Egret, American, 10.
Reddish, 10.
Eider, American, 305, 334.
Pacific, 198.
Elainea pagana subpagana, 250.
Elanoides forficatus, 126, 212, 233.
Elanus leucurus, 212, 233.
Elliot, D. G., the inheritance of acquired characters, 77; hybridism and a description of a hybrid between *Anas boschas* and *Anas americana*, 160; *Pitta granatina* Temminck et auctores, 218.
Emberiza leucocephala, 176.
pusilla, 176.
Empidonax acadicus, 213, 236, 251.
difficilis, 44, 352, 363.
flaviventris, 134, 136, 236, 251.
fulvifrons, 196.
fulvifrons pallescens, 196.
fulvifrons pygmæus, 196, 364.
hammondi, 288, 364.
minimus, 136, 236.
pusillus, 44, 363.
pusillus traillii, 136, 236.
wrightii, 364.
Engyptila jamaicensis, 123.
verreauxi, 329.

Ereunetes occidentalis, 13, 43, 212, 354, 389.
pusillus, 13, 212, 389.
Erismatura rubida, 42, 211, 345.
Eucorystes wagleri, 249.
Euetheia bicolor, 48.
canora, 272.
lepida, 272.
pusilla, 247.
Euphonia affinis, 23, 24.
annæ, 23, 24.
elegantissima, 24.
gnatho, 23, 24.
gouldi, 23.
gracilis, 24.
hirundinacea, 24.
laniirostris, 23, 24.
luteicapilla, 23, 24.
minuta, 23, 25.
Euplocamus albocristatus, 162.
horsfieldi, 162.
lineatus, 162.
melanonotus, 162.

FALCO albigularis, 327.
caribbæarum, 253, 254.
columbarius, 43, 127, 205, 212, 328.
columbarius suckleyi, 65.
dominicensis, 252–254, 260, 261.
fusco-cœrulescens, 361.
mexicanus, 361.
pealei, 176.
peregrinus anatum, 127, 212, 234, 355.
rusticolus gyrfalco, 282.
rusticolus obsoletus, 203, 300.
sparverioides, 252, 272.
sparverius, 43, 135, 205, 212, 234, 252–263, 266, 267, 328, 361.
sparverius æquatorialis, 254, 257, 268–270.
sparverius australis, 257, 263, 267–269.
sparverius cinnamominus, 257, 268, 269.
sparverius deserticolus, 257, 262–267.
sparverius isabellinus, 260, 262.
sparverius peninsularis, 257, 267.
Falcon, Aplomado, 361.
Prairie, 361.
Fannin, J., notice of his 'Check list of British Columbia birds,' 65.
Faxon, W., the Prairie Horned Lark (*Otocoris alpestris praticola*) breeding in New Hampshire and Massachusetts, 201.
Finch, California Purple, 355.
Grass, 137.
House, 287, 364.
Purple, 29, 137.
Fisher, A. K., *Myiarchus nuttingi* in Arizona, 394.
Flicker, 30, 36, 38, 135, 235.
Northwestern, 309.
Red-shafted, 44, 235, 362.
Floricola constanti, 324.
leocardiæ, 324.
longirostris, 324.
Flycatcher, Acadian, 236.
Ash throated, 236, 363.
Buff-breasted, 364.
Crested, 136, 236.
Hammond's, 364.
Least, 136, 236.
Little, 44, 363.
Mexican Crested, 236.
Olive-sided, 236, 364.
Scissor-tailed, 235.
Traill's, 136.
Vermilion, 236.
Western, 44, 363.
Wright's, 364.
Yellow-bellied, 136, 236.
Fregata aquila, 211.
Fulica americana, 12, 212, 232, 360.
Fuligula ferina, 162.
ferinoides, 162.
homeyeri, 162.
nyroca, 162.

GADWALL, 42, 198, 231.
Galeoscoptes carolinensis, 140, 214, 273, 307, 342.
Gallinago delicata, 12, 31, 42, 68, 69, 199, 212, 232, 329, 354, 360, 384.
Gallinula galeata, 12, 49, 212, 232, 272.
Gallinule, Florida, 12, 232.
Martinico, 290.
Martinique, 290.
Purple, 12, 232.
Scarlet-fronted, 12.
Gallus ferrugineus, 164.
Gannet, 229.
Gault, B. F., the Chestnut-sided Warbler nesting in Missouri, 396.
Gelochelidon nilotica, 48, 211, 345.
Geococcyx californianus, 234, 362.
mexicanus, 288.

Geothlypis agilis, 202.
beldingi, 180, 188.
caninucha icterotis, 22.
formosa, 21, 342.
macgillivrayi, 22, 46, 342, 367.
palpebralis, 107.
philadelphia, 22, 133, 134, 139, 342.
poliocephala palpebralis, 107.
trichas, 21, 31, 139, 214, 273, 307, 342.
trichas ignota, 214.
trichas occidentalis, 342, 356, 367.
Geotrygon cristata, 125.
montana, 124.
Glaucidium gnoma, 170.
gnoma californicum, 44.
phalænoides, 327.
siju, 272.
Glaucionetta clangula americana, 335, 353.
islandica, 42, 397.
Gnatcatcher, Black-tailed, 368.
Blue-gray, 31, 35–37, 344, 368.
Plumbeous, 368.
Golden-eye, American, 335, 353.
Barrow's, 42.
Goldfinch, American, 137, 337, 356.
Arizona, 337.
Arkansas, 365.
European, 301.
Mexican, 337, 341.
Western, 106.
Goose, Canada, 42, 232, 385.
Hutchins's, 385.
Lesser Snow, 232.
Sea, 298.
Snow, 385.
White-fronted, 345.
Wild, 69, 386.
Goshawk, 67.
Gowrie, Ringed, 276.
Grackle, Bronzed, 238.
Great-tailed, 205, 238.
Purple, 136, 319.
Grallaria guatemalensis, 175.
Grallaria lizanoi, 173.
Granatellus francescæ 288.
Grebe, American Eared, 192.
Pied-billed, 345.
Western, 41.
Grosbeak, Black-headed, 366.
Blue, 36.
Evening, 67, 68, 187, 190, 203, 238.
Rose-breasted, 138, 302, 339.
Western Blue, 339.
Grouse, Canada, 190.
Oregon Ruffed, 43.
Ruffed, 67–69, 134, 385–387.
Sharp-tailed, 189, 385, 387.
Sooty, 43, 309.
Grus mexicana, 42, 212, 232, 383.
Guara alba, 9, 14, 211, 271, 272.
rubra, 9.
Guinea-fowl, 121.
Guiraca cærulea, 36, 213.
cærulea eurhyncha, 339.
Gull, American Herring, 221.
Bonaparte's, 41, 304.
Glaucous-winged, 41.
Great Black-backed, 223, 304, 332.
Herring, 99, 304, 332, 388.
Western, 41, 309.
Gymnocichla chiroleuca, 175.
Gyrfalcon, 282.
Gyrfalcon, Black, 203, 300.

HABIA ludoviciana, 27, 48, 138, 213, 302, 308, 339.
melanocephala, 366.
Habropyga melpoda, 229.
Hæmatopus palliatus, 48, 212.
Haliæetus leucocephalus, 43, 135, 212, 386.
Harporhynchus crissalis, 368.
curvirostris palmeri, 368.
rufus, 32, 140, 214, 307, 342.
Hartert, E., notice of his 'Katalog des Vogelsammlung im Museum der Senckenbergischen Naturforschenden Gesellschaft,' 185.
Hawk, American Sparrow, 43, 234, 257, 361.
Chilean Sparrow, 268.
Cooper's, 233.
Desert Sparrow, 263.
Duck, 127, 234, 355.
Ecuador Sparrow, 269.
Fish, 286, 313.
Florida Red-shouldered, 234.
Harris's, 233.
Marsh, 233, 361.
Mexican Black, 127.
Pigeon, 43, 127.
Red-shouldered, 135.
Red-tailed, 28, 30, 126, 234.
St. Lucas Sparrow, 267.
Sharp-shinned, 74, 233, 354, 361.
South American Sparrow, 267.
Sparrow, 135, 252.
Swainson's, 234, 361.

Hawk, West Indian Sparrow, 253.
Zone-tailed, 361.
Helinaia swainsoni, 191, 213.
Helminthophila bachmani, 213.
celata, 213, 340, 367, 397.
celata lutescens, 46, 357.
chrysoptera, 35, 213.
leucobronchialis, 302, 306.
peregrina, 213, 340.
pinus, 213, 302, 340.
ruficapilla, 307, 340.
ruficapilla gutturalis, 340.
virginiæ, 367.
Helmitherus vermivorus, 34, 35, 49, 213, 307.
Hemiprocne zonaris, 276.
Hen, Clucking, 11.
Heath, 67, 203.
Mangrove, 11.
Heron, Black-crowned Night, 10, 42, 232.
Great Blue, 9, 42, 232.
Great White, 9.
Green, 10, 134, 232.
Little Blue, 10, 194, 232.
Louisiana, 10.
Night, 318, 319, 321.
Snowy, 10, 360.
White, 126.
Yellow-crowned Night, 10, 232.
Hesperiphona vespertina, 190.
Hesperocichla nævia, 47.
Himantopus mexicanus, 12, 48, 212, 215.
Hirundo rustica, 108.
Histrionicus histrionicus, 69.
Hitchcock, F. H., the Black Tern at Prince Edward Island, 71.
Holden, E. F., *Junco hyemalis* in eastern Massachusetts in June, 72.
Howell, A. H., brief notes from Long Island, 306; abnormal eggs of *Spizella socialis*, 395.
Hulbert, H. W., Robert W. Shufeldt, 3d., 398.
Hummingbird, 69, 136, 195.
Allen's, 44.
Black-chinned. 235, 363.
Broad-tailed, 363.
Calliope, 44, 363.
Long-tailed, 277.
Mango, 277.
Ruby-throated, 235.
Rufous, 44, 363.
Vervain, 277.
Hydrochelidon nigra surinamensis, 71, 211.
Hyetornis pluvialis, 274, 372.

Ibis alba, 14.
Ibis, Scarlet, 9.
White, 9, 271.
White-faced Glossy, 192, 345, 360.
Wood, 9.
Icteria virens, 22, 308, 342.
virens longicauda, 367.
Icterus audubonii, 238.
bullocki, 237, 238, 364.
galbula, 213, 250, 290, 308.
hypomelas, 272.
parisorum, 364.
spurius, 35, 36, 213, 236, 238, 250, 308.
Ictinia mississippiensis, 107, 126, 192, 212, 233.
plumbea, 107.
Ionornis martinica, 12, 212, 232, 289, 290.

Jacana spinosa, 15, 272.
Jack, 346.
Jäckel, A. J., notice of his 'Systematische Uebersicht der Vögel Bayerns,' etc., 186.
Jay, Blue, 136.
Blue-fronted, 355.
California, 301.
Canada, 395.
Oregon, 45, 309.
Steller's, 45, 309.
Woodhouse's, 364.
Jeffries, J. A., death of, 311.
Junco annectens, 365, 366.
caniceps, 365, 366.
carolinensis, 107.
hyemalis, 32, 67, 72, 133, 134, 137, 338.
hyemalis carolinensis, 107, 137.
hyemalis oregonus, 45.
hyemalis shufeldti, 365.
hyemalis thurberi, 106, 288.
ridgwayi, 365.
townsendi, 188, 287.
Junco, 133.
Gray-headed, 365.
Oregon, 45.
Pink-sided, 365.
Ridgway's, 365.
Shufeldt's, 365.
Slate-colored, 32, 137, 338.
Thurber's, 106.
Townsend's, 287.

Keyser, L. S., notice of his 'Birddom,' 63.

Killdeer, 14, 134, 233, 354, 360.
Kingbird, 68, 136, 236, 280.
Arkansas, 236, 363.
Cassin's, 363.
Kingfisher, Belted, 44, 135, 234, 274, 362.
Texan, 234.
Kinglet, Golden-crowned, 38, 140, 344.
Ruby-crowned, 38, 47, 344, 368, 385.
Western Golden-crowned, 47.
Kite, Mississippi, 126, 233.
Swallow-tailed, 126, 233.
White-tailed, 233.
Kittiwake, 353.
Knot, 13, 146–148, 289, 306.

LAGOPUS lagopus, 300.
rupestris reinhardti, 282.
Lampornis mango, 277.
nigricollis, 377.
Lanius ludovicianus, 213, 340, 387.
ludovicianus excubitorides, 46, 340, 367.
robustus, 194.
Lapwing, European, 289.
Lark, Horned, 194.
Prairie Horned, 28, 31, 38, 201, 202, 237.
Streaked Horned, 45.
Larus argentatus, 225.
argentatus smithsonianus, 99, 211, 221, 304, 332, 388.
atricilla, 48, 211.
delawarensis, 211.
dominicanus, 389.
glaucescens, 41.
marinus, 223, 394, 332.
occidentalis, 41, 309.
philadelphia, 41, 211, 304.
Lawrence, R. H., a preliminary list of the birds of the Gray's Harbor region, Washington, 39; *Aphelocoma californica* in Washington, 301; further notes on birds of the Gray's Harbor region, Washington, 352; *Coccyzus americanus occidentalis* in Washington, 393.
Legatus albicollis, 250.
Leverkühn, P., notice of his 'Fremde Eier im Nest,' 185.
Limosa fedoa, 212.
sp., 13.
Limpkin, 11.
Longspur, Chestnut-collared, 337, 365.
Lapland, 282.
McCown's, 337, 365.
Loomis, L. M., a further review of the avian fauna of Chester County, South Carolina, 28.
Loon, 41, 286, 292.
Pacific, 353.
Red-throated, 353.
Lophodytes cucullatus, 211, 231.
Lophornis adorabilis, 324.
Lophortyx californicus brunnescens, 196.
Lophostrix stricklandi, 327.
Lophotriccus squammicristatus minor, 173.
zeledoni, 173.
Lorius garrulus, 90.
rajah, 90.
Loxia curvirostra bendirei, 196.
curvirostra minor, 45, 134, 137, 190.
leucoptera, 397.
Loxigilla violacea, 48, 49.
Lucas, F. A., notice of his 'Notes on the osteology of the Paridæ, *Sitta* and *Chamæa*,' 172; notice of his paper, 'On the structure of the tongue in Hummingbirds,' 172; notice of his 'Catalogue of skeletons of birds collected at the Abrolhos Islands,' etc., 172; an egg of the Great Auk, 198; habits of the Herring Gull, 388; up to date, 395.
Lunda cirrhata, 41.

MACFARLANE, R., notice of his notes on Arctic birds, 64.
Mackay, G. H., habits of the Eskimo Curlew (*Numenius borealis*) in New England, 16; *Calidris arenaria* in Massachusetts in winter, 72; habits of the Black-bellied Plover (*Charadrius squatarola*) in Massachusetts, 143; *Anas carolinensis* and *Gallinago delicata* in winter, 199; the migration of *Charadrius dominicus* in Massachusetts in 1891, 199; habits of the American Herring Gull (*Larus argentatus smithsonianus*) in New England, 221; migration of *Urinator imber*, 292; the spring migration of the Scoters in 1892, 292; the Red Phalarope (*Crymophilus fulicarius*) at Nantucket Island, Massachusetts, 294; correction, 300; water birds at Nantucket, Massachusetts, 304; habits of the Oldsquaw (*Clangula hyemalis*) in New England, 330;

habits of the Hudsonian Curlew in Massachusetts, 345; *Totanus flavipes* and *Charadrius dominicus*, 389; *Tryngites subruficollis*, 389.
Macrorhamphus griseus, 13, 212, 290.
scolopaceus, 13, 212, 345, 354.
Mallard, 41, 165, 198, 231, 354.
Margarops fuscatus, 48, 49.
Margornis brunnescens, 173.
Marshall, W. B., some birds recently added to the collection of the New York State Museum, 203; a specimen of *Numenius arquatus* said to have been taken on Long Island, N. Y., 390.
Martin, Purple, 138, 340.
McCormick, L. M., notes on a few birds from northern Ohio, 397.
Meadowlark, 30, 38, 136, 237, 271.
Western, 237, 355, 364.
Mearns, E. A., a study of the Sparrow Hawks (subgenus *Tinnunculus*) of America, with especial reference to the continental species (*Falco sparverius* Linn.), 252.
Megarhynchus pitangua, 251.
Megascops asio, 189.
asio aikeni, 108.
asio floridanus, 212, 216.
asio macfarlanei, 108.
asio mccallii, 234.
asio saturatus, 108.
brasilianus, 327.
flammeolus, 170.
flammeolus idahoensis, 105, 169.
nudipes, 327.
Melanerpes aurifrons, 235.
carolinus, 201, 213.
erythrocephalus, 29, 135, 213, 231, 308.
torquatus, 355, 394.
Melanotis cærulescens, 288.
Meleagris gallopavo, 72, 169, 196, 286.
gallopavo ellioti, 167, 233.
gallopavo mexicana, 168, 169, 233, 360.
gallopavo osceola, 105, 169, 212, 215.
Mellisuga minima, 277.
Melopelia leucoptera, 123, 124, 233.
Melophyrrha nigra, 272.
Melospiza fasciata, 37, 38, 68, 85, 138, 338.
fasciata fallax, 85.
Melospiza fasciata guttata, 45, 86.
fasciata heermanni, 85.
fasciata montana, 85.
fasciata rivularis, 86, 188.
fasciata samuelis, 86.
georgiana, 204, 213, 339.
lincolni, 338.
Merganser americanus, 41.
serrator, 211, 223, 304.
Merganser, American, 41, 223.
Hooded, 231.
Red-breasted, 304.
Merriam, C. H., the Dwarf Screech Owl (*Megascops flammeolus idahoensis* Merriam), 169; the Carolina Paroquet (*Conurus carolinensis*) in Missouri, 301; notice of his 'The geographical distribution of life in North America with special reference to the mammalia,' 377.
Merrill, H., *Pelecanus erythrorhynchos* in Maine, 292; *Lagopus lagopus* in Maine, 300.
Merula migratoria, 29–33, 141, 204, 206, 214, 286, 290, 304, 345.
migratoria propinqua, 47, 69, 369.
Meyer, A. B., another specimen of the Labrador Duck, 389.
Micropalama himantopus, 13, 212, 232.
Micropallas whitneyi, 362.
Micropus melanoleucus, 362.
Miller, G. S., Jr., *Melanerpes carolinus* in Madison County, New York, in winter, 201; *Crymophilus fulicarius* in Provincetown Harbor, 298; two Cape Cod records, 396.
Miller, O. T., notice of her 'Little brothers of the air,' 279.
Milvulus forficatus, 235.
tyrannus, 251, 322.
Mimocichla rubripes, 272, 273.
Mimus gundlachi, 48, 49.
polyglottos, 28, 30, 36, 39, 68, 74, 214, 236, 285, 338, 342.
polyglottos orpheus, 48.
Minor ornithological publications, 66, 187, 282, 383.
Mitrephorus pallescens, 196.
Minotilta varia, 31–33, 35, 48, 138, 213, 273, 303, 307, 340.
Mockingbird, 28, 30, 36, 39, 68, 74, 236, 285, 338, 342.
Molothrus ater, 136, 204, 213, 237, 302, 364, 386.
ater obscurus, 237, 364.

Molothrus cabanisii, 202.
Momotus lessoni, 322.
Morris, R. O., notes from Springfield, Massachusetts, 74; *Perisoreus canadensis* in Massachusetts, 395.
Mountain-witch, 125.
Muscicapa fulvifrons, 196.
Myiadestes townsendii, 369.
Myiarchus cinerascens, 236, 358, 363.
crinitus, 136, 213, 218, 236, 251, 307.
lawrencei nigricapillus, 251.
lawrencei olivascens, 196.
mexicanus, 236.
mexicanus magister, 196.
nuttingi, 394.
sagræ, 49, 272.
Myiodynastes audax, 251.
luteiventris, 250.
Myiozetetes texensis, 250.
Myrmiceza intermedia, 173.

NEWTON, A., notice of his 'Fossil birds,' 183.
Nighthawk, 136, 190.
Cuban, 276.
Texas, 362.
Western, 235, 309, 362.
Nomonyx dominicus, 272.
Numenius arquatus, 390.
borealis, 16, 212.
hudsonicus, 14, 21, 43, 212, 306, 345, 384.
longirostris, 14, 212, 232, 350, 354, 360, 390.
Numida meleagris, 121, 272.
Nuthatch, Red-breasted, 38, 343.
White-breasted, 37, 140.
Nyctala acadica, 44, 170.
Nyctea nyctea, 67–69, 135, 286, 355.
Nyctibius jamaicensis, 275, 276.
pallidus, 276.
Nycticorax nycticorax nævius, 10, 42, 212, 232, 318, 319, 321.
violaceus, 10, 48, 212, 232, 329.
Nyctidromus albicollis, 324.

OBERHOLSER, H. C., the Golden Eagle in Ohio, 200.
Oceanodroma leucorhoa macrodactyla, 187.
Oidemia americana, 153–158, 293 354.
bimaculata, 159.
deglandi, 154, 156–160, 293, 294, 305, 354, 385, 397.
fusca, 158.
nigra, 157.
perspicillata, 42, 154, 156–160, 293, 294.
Old-man-bird, 274.
Young, 274.
Oldsquaw, 305, 330, 354.
Oldwife, 330.
Olor buccinator, 384.
columbianus, 42, 384, 386.
Oporornis formosa, 21.
Oreortyx pictus, 43.
pictus confinis, 188, 287.
Oriole, Audubon's, 238.
Baltimore, 290.
Bullock's, 237, 238, 364.
Orchard, 35, 36, 236, 238.
Scott's, 364.
Oroscoptes montanus, 342, 367.
Osprey, 289.
American, 43, 127, 286, 361.
Otocoris alpestris, 194, 204.
alpestris adusta, 364.
alpestris praticola, 28, 31, 38, 201, 202, 237.
alpestris strigata, 45.
Oustalet, E., notice of his work on the birds of Patagonia, 281.
Ouzel, 386.
Ovenbird, 35, 139, 341.
Owl, American Barn, 43, 234.
American Long-eared, 234, 361.
Barn, 127, 128, 202, 276, 288.
Barred, 4, 135.
Burrowing, 234, 361.
California Pygmy, 44.
Dusky Eared, 127.
Dusky Horned, 355.
Dwarf Screech, 105, 169.
Elf, 362.
Flammulated Screech, 170.
Florida Barred, 234.
Florida Burrowing, 1.
Great Gray, 44.
Pygmy, 170.
Sawwhet, 44, 170.
Screech, 127, 189.
Short-eared, 234, 355.
Snowy, 67–69, 135, 355.
Spotted, 393.
Texan Screech, 234.
Western Horned, 234, 361.

PACHYRHAMPHUS albinucha, 175.
ornatus, 173.
Packard, A. S., notice of his 'Labrador coast,' 171.
Pajaro Ardilla, 326.
Pale-belly, 144, 199.
Palmer, T. S., notes on some birds of Grays Harbor, Washington, 308.
Pandion haliaëtus carolinensis, 43, 127, 212, 286, 289, 313, 361.
Parabuteo unicinctus harrisi, 205, 233, 328.
Paroquet, Carolina, 278, 301, 384, 385.
Yellow-bellied, 128.
Parrakeet, Carolina, 49, 206.
Parrot, Black-billed, 128.
Yellow-billed, 128.
Partridge, 125, 194.
California, 43.
Chestnut-bellied Scaled, 233.
Gambel's, 386.
Massena, 231.
Mountain, 124.
San Pedro, 287.
Scaled, 360.
Spanish, 125.
Water, 11.
Parula, 303.
Parus atricapillus, 67, 140, 204, 281.
atricapillus turneri, 195.
atricristatus, 343.
bicolor, 36, 214.
bicolor texensis, 343.
carolinensis, 35, 37, 204, 214.
carolinensis agilis, 344.
gambeli, 47.
rufescens, 47.
Passer domesticus, 137, 206, 231, 286, 319, 395.
Passerella iliaca, 204, 213, 339.
iliaca unalaschcensis, 288.
Passerina amœna, 231, 366.
ciris, 205, 213, 236, 339.
cyanea, 138, 213, 247, 283, 308, 339.
Pavoncella pugnax, 299.
Pediocætes phasianellus, 189, 385, 387.
phasianellus campestris, 196, 283.
Pelecanus californicus, 353.
erythrorhynchos, 192, 292.
fuscus, 206, 211, 386.
Pelican, American White, 292.
Brown, 386.
California Brown, 353.
Pelzeln, A. v., death of, 74.
Perisoreus canadensis, 395.
obscurus, 45, 309.
Peristera cinerea, 329.
Petrochelidon lunifrons, 138, 340, 356, 366.
Peucæa æstivalis, 213.
æstivalis bachmanii, 31, 73, 213.
cassini, 73, 338, 359, 366.
ruficeps boucardi, 366.
ruficeps eremœca, 73, 338, 341.
Pewee, Large-billed Wood, 106.
Western Wood, 44, 236, 363.
Wood, 136, 236, 281.
Phaëthon flavirostris, 229.
Phalacrocorax dilophus, 192.
dilophus albociliatus, 196.
dilophus floridanus, 48, 211.
pelagicus robustus, 309.
sp., 353.
Phalænoptilus nuttalli, 235.
nuttalli nitidus, 235, 362.
Phalarope, Northern, 295, 298.
Red, 67, 294–299.
Phalaropus lobatus, 295, 296, 298, 299, 387.
Pheasant, Chinese, 66, 67.
Golden, 385.
Japanese, 68.
Mongolian, 385.
Philohela minor, 12, 66, 69, 212, 286, 385, 386.
Phœbe, 236.
Say's, 236, 363.
Phœbe-bird, 136.
Phœnicophæus erythrognathus, 184.
Phœnicopterus ruber, 211.
Piaya cayana, 184.
cayana mehleri, 326.
Picolaptes compressus, 173, 175.
gracilis, 173, 175.
Picus torquatus, 394.
Pigeon, Band-tailed, 43.
Blue, 122.
Ring-tailed, 122.
White-bellied, 123.
White-crowned, 122.
Wild, 67, 286, 386.
Pintail, 232, 353.
Pipilo chlorurus, 339, 366.
erythrophthalmus, 29, 138, 339.
erythrophthalmus alleni, 213.
fuscus mesoleucus, 366.
maculatus arcticus, 339.
maculatus magnirostris, 107.

Pipilo maculatus megalonyx, 107, 366.
maculatus oregonus, 356.
Pipit, American, 28, 33, 37, 46, 342, 367.
Richard's, 289.
Sprague's, 342.
Piranga bidentata, 25.
erythromelas, 138, 213, 339.
hepatica, 366.
leucoptera, 25.
ludoviciana, 309, 310, 366.
rubra, 25, 35, 213, 307, 339.
Pitangus caudifasciatus, 272.
derbianus, 250.
Pithys bicolor olivaceus, 175.
Pitta coccinea, 220.
granatina, 218.
granatina borneënsis, 221.
Platypsaris aglaiæ hypophæus, 175.
aglaiæ obscurus, 175.
Plautus impennis, 100, 198.
Pleasants, J. H., Jr., an overlooked volume, 206.
Plectrophenax nivalis, 68, 282.
Plegadis autumnalis, 211.
guarauna, 192, 345, 360.
Plover, American Golden, 14, 17–20, 144, 147, 148, 199, 232, 289, 389.
American Killdeer 290.
Black-bellied, 14, 143, 300, 306, 360.
Piping, 15, 306.
Ringneck, 147.
Semipalmated, 15, 354.
Wilson's, 15.
Podilymbus podiceps, 211, 214, 345.
Polioptila cærulea, 31, 35–37, 48, 214, 273, 307, 344, 368.
californica, 368.
plumbea, 368.
Polyborus cheriway, 212, 215, 234, 328.
Poocætes gramineus, 31, 137, 204, 213, 337.
gramineus confinis, 337, 365.
Poorwill, 235.
Frosted, 235, 362.
Porphyrio smaragnotus, 290.
Porter, L. H., abnormal plumage of *Habia ludoviciana*, 302.
Porzana carolina, 11, 212, 232, 329.
concolor, 11.
coturniculus, 108, 175.
flaviventris, 11.
jamaicensis, 11, 212.
jamaicensis coturniculus, 108, 175.
Porzana noveboracensis, 67.
spilonota, 175.
Potoo, 127, 275.
Brown, 127.
White, 127, 276.
White-headed, 276.
Premnoplex brunnescens, 173.
Priotelus temnurus, 272.
Progne chalybea, 22.
cryptoleuca, 213.
subis, 138, 205, 213, 307, 340.
subis hesperia, 356.
Protonotaria citrea, 191, 213, 387.
Psaltriparus grindæ, 196.
minimus californicus, 195, 287.
Pseudoscops grammicus, 127.
Pseudogryphus californianus, 288.
Psilorhinus mexicanus, 250.
Ptarmigan, Greenland, 282.
Willow, 300.
Ptilopus melanauchen, 81
melanocephalus, 81.
melanospilus, 81.
xanthorrhous, 81.
Ptilorhis magnifica, 282.
wilsoni, 282.
Ptychoramphus aleuticus, 353.
Publications received, 70, 196, 290, 387.
Puffin, Tufted, 41.
Pyrgisoma cabanisi, 248.
leucotis, 249
Pyrocephalus rubineus mexicanus, 236.
Pyrrhuloxia sinuata, 339.

QUAIL, 67, 68, 120, 271, 281, 385.
Gambel's, 198.
Quail-dove, Blue-headed, 125.
Ruddy, 124.
Quandy, 330.
Quiscalus crassirostris, 370.
gundlachi, 272.
macrourus, 238.
major, 205, 213.
quiscula, 136, 180–182, 319.
quiscula æneus, 136, 180–182, 238.
quiscula aglæus, 180–182, 213.

RAGSDALE, G. H., distribution of the species of *Peucæa* in Cooke County, Texas, 73.
Rail, Black, 11.
Carolina, 11.
Clapper, 74.
Farallon, 175.

Rail, King, 396.
Red, 11.
Virginia, 309, 385.
Yellow, 67.
Rain-bird, 273, 274.
Rallus crepitans, 74, 212.
elegans, 68, 212, 272, 396.
longirostris caribæus, 11,
scottii, 212.
virginianus, 68, 212, 309, 385.
Raub, M W., the Golden Eagle in Pennsylvania, 200.
Raven, 62, 88, 136.
American, 45, 364.
White-necked, 364.
Recurvirostra americana, 12, 232, 360.
Redbreast, 147, 148.
Robin, 274.
Redhead, 232, 304.
Redstart, 341.
American, 34–36, 140, 342.
Painted, 367.
Redtail, Western, 354, 361.
Regulus calendula, 38, 47, 134, 214, 344, 368, 385.
satrapa, 38, 140, 344.
satrapa olivaceus, 47.
Rhoads, S. N., the breeding habits of the Florida Burrowing Owl (*Speotyto cunicularia floridana*), 1.
Rhodinocichla rosea, 288.
Rhynchophanes mccownii, 337, 365.
Ridgway, R., notice of his papers on Central American and South American Birds, 174; notice of his 'Directions for collecting birds,' 175; *Zonotrichia albicollis* in California, 302; spring arrivals at Washington, D. C., 307; notice of his 'The Humming Birds', 376.
Rissa tridactyla pollicaris, 353.
Roadrunner, 234, 362.
Robin, 29–33, 68, 286, 304, 373.
American, 141.
Western, 47, 369.
Rostrhamus sociabilis, 212.
Ruff, 300.
Rupornis ruficauda, 328.
Rynchops nigra, 211.

SALPINCTES guadalupensis, 84.
obsoletus, 47, 310, 357, 368.
Saltator grandis, 27.
magnoides, 27.
Salvadori, T., notice of his catalogue of the Parrots, 277.
Sanderling, 13, 72.
Sandpiper, Baird's, 345.
Bartramian, 14, 31, 232, 305.
Buff-breasted, 389.
Least, 13, 232, 354, 360.
Pectoral, 13, 232.
Red-backed, 43, 147, 149.
Semipalmated, 13.
Solitary, 13, 232.
Spotted, 14, 43, 232,
Stilt, 13, 232.
Western, 43.
White-rumped, 13.
Sapsucker, 109.
Williamson's, 362.
Yellow-bellied, 37, 235.
Sarcoramphus papa, 288.
Saurothera merlini, 272.
vetula, 273, 369.
Saxicola œnanthe, 282.
Sayornis aquatica, 250.
phœbe, 136, 205, 213, 236, 286.
saya, 236, 363.
Scardafella inca, 233, 288.
Scaup, 198.
American, 304.
Lesser, 304.
Schlegelia wilsoni, 282.
Sclater, P. L., notice of his papers on the geographical distribution of birds, 183.
Sclater, P. L., and Shelley, G. E., notice of their catalogue of the Scansores and Coccyges, 184.
Scolecophagus carolinus, 205.
cyanocephalus, 45, 238, 364.
Scoter, American, 153, 156, 293, 354.
Black, 158.
Surf, 42, 157, 293, 294.
Velvet, 159.
White-winged, 157, 293, 294, 354.
Scotiaptex cinerea, 44.
Scott, W. E. D., observations on the birds of Jamaica, West Indies. II. A list of birds recorded from the Island, with annotations, 9, 120, 273, 369; a description of the adult male of *Botaurus neoxenus* (Cory), with additional notes on the species, 141; notes on the birds of the Caloosahatchie region of Florida, 209.
Scytalopus argentifrons, 175.
Seiurus aurocapillus, 21, 35, 49, 139, 214, 273, 307, 341.

Seiurus motacilla, 21, 34, 139, 214, 303, 342.
noveboracensis, 21, 133, 134, 139, 214, 307, 341.
noveboracensis notabilis, 303, 341.
Selasphorus floresii, 377.
Sennett, G. B., description of a new Turkey, 167.
Setophaga picta, 367.
ruticilla, 22. 34–36, 140, 214, 273, 307, 341, 342.
Shelley, G. E., see Sclater, P. L.
Shoveler, 198, 232.
Shrike, Loggerhead, 35, 340.
White-rumped, 46, 340, 367.
Shufeldt, R. W., notice of his 'Myology of the Raven,' 62; notice of his 'Contributions to the comparative osteology of arctic and subarctic water-birds,' 173; notice of his papers on the osteology and classification of the North American Pigeons, Woodpeckers, and Kites, 174.
Shufeldt, R. W., 3d., death of, 398, 400.
Sialia arctica, 47, 231, 369.
mexicana, 47, 310, 369.
mexicana anabelæ, 188.
sialis, 31, 141, 194, 204, 214, 345.
Siphonorhis americanus, 276.
Siskin, Pine, 356.
Sitta canadensis, 38, 140, 191, 343.
carolinensis, 37, 140.
carolinensis aculeata, 107.
carolinensis lagunæ, 107.
pusilla, 214.
pygmæa leuconucha, 188.
Sittasomus æquatorialis, 175.
amazonus, 175.
chapadensis, 175.
olivaceus, 175.
Skua, Richardson's, 289.
Snipe, 69.
Red-breasted, 390.
Wilson's, 12, 31, 42, 68, 199, 232, 260.
Snow, F. H., the Pacific Eider in Kansas, 198.
Snowbird, 67, 72.
Solitaire, Townsend's, 369.
Somateria dresseri. 305, 334.
spectabilis, 68, 289.
v.-nigra, 198.
Sora, 232.
Southwick, W. C., *Seiurus noveboracensis notabilis* in New Jersey, 303.
Sparrow, Bachman's, 31.
Bell's, 288.
Black-chinned, 365.
Black-throated, 234, 338.
Boucard's, 366.
Brewer's, 365.
Cassin's, 338, 359, 366.
Chipping, 72, 137, 281, 338, 395.
Clay-colored, 338, 365.
English, 137, 319, 395.
Field, 31, 137, 338.
Fox, 339.
Gambel's, 309, 356.
Golden-crowned, 356.
Grasshopper, 28, 31, 39, 137, 338.
Harris's, 338.
Henslow's, 31, 39.
Intermediate, 45.
Lark, 338.
Lincoln's, 338.
Rock, 338, 341.
Rusty Song, 45.
Sage, 288.
Savanna, 33, 36, 133, 137, 355.
Song, 37, 38, 68, 138, 338.
Swamp, 339.
Thick-billed, 288.
Vesper, 31, 337.
Western Chipping, 338, 365.
Western Grasshopper, 338.
Western Henslow's, 106.
Western Lark, 338, 365.
Western Savanna, 45, 338, 365.
Western Vesper, 337, 365.
White-crowned, 338, 356, 365.
White-throated, 33, 132, 281, 338.
Spatula clypeata, 198, 211, 232.
Speotyto cunicularia floridana, 1, 212, 216.
cunicularia hypogæa, 6, 234, 361.
Sphecotheres flaviventris, 282.
Sphyrapicus thyroideus, 362.
varius, 37, 109, 134, 135, 205, 213, 235, 275, 374.
Spindalis pretrii, 272.
zena, 48.
Spinus mexicanus, 249.
pinus, 204, 355.
psaltria, 365.
psaltria arizonæ, 337.
psaltria mexicanus, 249, 337, 341.

Spinus tristis, 137, 213, 337, 355.
tristis pallidus, 106.
Spiza americana, 234, 248, 339.
Spizaëtus ornatus, 328.
Spizella atrigularis, 365.
breweri, 365.
pallida, 338, 365.
pusilla, 31, 137, 204, 213, 338.
pusilla arenacea, 338.
socialis, 72, 137, 213, 281, 307, 338, 395.
socialis arizonæ, 338, 365.
Spoonbill, Roseate, 9.
Sporadinus maugæi, 229.
riccordii, 272.
Sporophila moreleti, 27.
Sprigtail, 198.
Starnœnas cyanocephala, 125, 271, 272.
Steinadler, 186.
Stejneger, L., notice of his 'Notes on Japanese birds,' etc., 176; notice of his 'Notes on the cubital coverts in the Birds of Paradise and Bowerbirds,' 176.
Stelgidopteryx serripennis, 22, 46, 213, 307, 340, 356.
Stellula calliope, 377.
Stephens, F., notes on *Syrnium occidentale*, 392.
Stercorarius parasiticus, 211, 214, 289.
Sterna antillarum, 211.
dougalli, 211.
fluviatilis, 191.
forsteri, 191, 211.
fuliginosa, 211, 289.
hirundo, 211, 304.
maxima, 191, 211.
sandvicensis acuflavida, 211.
tschegrava, 211.
Stilt, Black-necked, 12.
Stone, W., notice of his 'Summer birds of Harvey's Lake, Luzerne Co., Pennsylvania,' etc., 176; a correction, 202; winter birds of Cape May, New Jersey, 203; notice of his 'Catalogue of the Corvidæ, Paradiseidæ, and Oriolidæ in the collection of the Academy of Natural Sciences of Philadelphia,' 282; notice of his 'Birds collected by the West Greenland expedition,' 282.
Strix flammea furcata, 127, 128, 276.
pratincola, 43, 202, 212, 216, 234, 288.
pratincola furcata, 272.
pratincola guatemalæ, 327.
Sturnella hippocrepis, 271, 272.
magna, 30, 38, 136, 204, 237.
magna mexicana, 213, 250.
magna neglecta, 237, 355, 364.
Suchetet, A., notice of his 'Les oiseaux hybrides,' etc., 382.
Sula sula, 229.
Sultana, 12.
Swallow, Bank, 46, 340, 367.
Barn, 46, 138, 340, 366.
Cliff, 138, 340, 366.
Rough-winged, 340, 356.
Tree, 46, 138, 340.
Violet-green, 46, 367.
Swan, Whistling, 42.
Swift, Black, 276.
Chimney, 136, 235, 285
Palm, 276.
White-collared, 276.
White-throated, 362.
Sylvania canadensis, 22, 132–134, 139, 342.
mitrata, 214, 235, 303, 306, 342.
pusilla, 60, 341, 342, 367.
pusilla pileolata, 22, 46, 357.
Symphemia semipalmata, 14, 48, 149, 212.
semipalmata inornata, 212.
Syrnium nebulosum, 135.
nebulosum alleni, 4, 205, 212, 234.
occidentale, 392.
virgatum, 327.

TACHYCINETA bicolor, 46, 138, 206, 213, 286, 340.
thalassina, 46, 356, 367.
Tanager, Hepatic, 366.
Louisiana, 310, 366.
Scarlet, 138, 339.
Summer, 35, 339.
Tanagra cana, 25.
Tantalus loculator, 9, 211.
Taylor, A. O'D., occurrence of the Black Gyrfalcon in Rhode Island, 300.
Teal, Blue-winged, 231, 360
Cinnamon, 232.
Green-winged, 198, 199, 231, 353, 359.
Teretistris fernandinæ, 273.
Tern, Black, 71.
Common, 304.
Gull-billed, 345.
Noddy, 289.
Sooty, 289.

Thamnophilus albicrissa, 175.
doliatus, 250.
trinitatis, 175.
Thrasaëtus harpyia, 328.
Thrasher, Brown, 32, 140, 342.
Crissal, 368.
Palmer's 368.
Sage, 342, 367.
Thrush, Audubon's Hermit, 344, 369.
Dwarf Hermit, 344, 369.
Gray-cheeked, 344.
Hermit, 33, 66, 132, 133, 141, 202, 344.
Olive-backed, 132, 140, 141, 344.
Russet-backed, 47.
Varied, 47.
Wilson's, 35, 140, 344.
Wood, 38, 132, 140, 141, 303.
Thryothorus bewickii, 29, 30, 36, 307, 385.
bewickii bairdi, 343. 368.
bewickii spilurus, 288, 357.
ludovicianus, 73, 204, 343.
ludovicianus miamensis, 214.
Tick-bird, 273.
Tijo-tijo, 325.
Tit, California Bush, 287.
Titmouse, Black-crested, 343.
Texan Tufted, 343.
Tufted, 36.
Tityra personata, 322.
Todirostrum cinereum, 250.
Todus multicolor, 272.
pulcherrimus, 275.
viridis, 274, 373.
Tody, Green, 274, 373.
Sharpe's, 275.
Totanus flavipes, 13, 48, 49, 212, 232, 384, 389.
melanoleucus, 13, 149, 212, 232, 354.
solitarius, 13, 212, 232, 329.
Towhee, 29, 138, 339.
Arctic, 339.
Cañon, 366.
Green-tailed, 339, 366.
Oregon, 356.
Spurred, 366.
Treat, W. E., *Ereunetes occidentalis* in Connecticut, 389.
Tringa alpina pacifica, 43, 147, 149, 212, 354.
bairdii, 345, 397
canutus, 13, 146–148, 212, 289, 290, 306, 397.
fuscicollis, 13, 212.
Tringa maculata, 13, 48, 212, 232, 329, 360.
maritima, 212.
minutilla, 13, 48, 49, 212, 232, 354, 360.
Trochilus alexandri, 235, 363.
alleni, 44.
calliope, 44, 363, 377.
colubris, 69, 136, 191, 195, 205, 213, 235, 308, 324, 386.
floresii, 108, 377.
heloisa, 377.
platycercus, 363.
rubromitratus, 108.
rufus, 44, 352, 363.
violajugulum, 377.
Troglodytes aëdon, 140, 214, 307, 319, 343.
aëdon aztecus, 343, 368.
aëdon parkmanii, 343.
hiemalis, 132–134, 140.
hiemalis pacificus, 47, 309.
insularis, 288.
Trumbull, G., our Scoters, 153.
Tryngites subruficollis, 329, 389.
Turdus aliciæ, 214, 344.
aonalaschkæ, 344, 369.
aonalaschkæ auduboni, 107, 344, 369.
aonalaschkæ pallasii, 33, 66, 132–134, 141, 202, 214, 344, 345.
fuscescens, 35, 140, 214, 344.
migratorius, 290.
mustelinus, 38, 132, 140, 141, 214, 303, 307.
sequoiensis, 107, 188.
ustulatus, 47.
ustulatus swainsonii, 132, 134, 140, 141, 214, 344.
Turkey, Florida Wild, 105.
Mexican, 233, 360.
Rio Grande, 167.
Wild, 72.
Turnstone, 15, 147, 306.
Black, 354.
Turtur risoria, 125.
Tympanuchus americanus, 66, 386.
cupido, 67, 203.
pallidicinctus, 231.
Tyranniscus parvus, 250.
Tyrannus dominicensis, 48, 213.
magnirostris, 272.
melancholicus satrapa, 251.
tyrannus, 68, 136, 205, 213, 236, 280, 308.
verticalis, 236, 363.
vociferus, 363.

URIA lomvia, 68.
Urinator imber, 41, 211, 286, 292, 353.
lumme, 211, 353.
pacificus, 353.
Urococcyx erythrognathus, 184.
Urubitinga anthracina, 127, 328.
urubitinga ridgwayi, 328.

VERDIN, 287, 344, 368.
Verrill, G. E., *Carduelis elegans* in Connecticut, 301.
Vireo altiloquus barbatulus, 213.
atricapillus, 340, 341.
bellii, 236, 237, 340.
crassirostris, 48, 49.
flavifrons, 23, 31, 35, 192, 213, 340.
flavoviridis, 22, 288.
gilvus, 46, 213, 307.
gundlachi, 273.
huttoni obscurus, 288.
noveboracensis, 31, 213, 340.
noveboracensis maynardi, 213.
olivaceus, 22, 36, 37, 48, 49, 138, 213, 283. 308, 340, 395.
philadelphicus, 23, 138.
solitarius, 37, 38, 133, 138, 213, 340, 341.
solitarius alticola, 138, 213.
solitarius cassinii, 367.
solitarius lucasanus, 106.
solitarius plumbeus, 367.
superciliaris, 173.
vicinior, 367.
vicinior californicus, 108.
Vireo, Bell's, 236, 237, 340
Black-capped, 340, 341.
Blue-headed, 37, 38, 340, 341.
Cassin's, 367.
Gray, 367.
Plumbeous, 367.
Red-eyed, 36, 37, 138, 340, 395.
St. Lucas Solitary, 106.
Solitary, 133, 138.
Warbling, 46.
White-eyed, 31, 340.
Yellow-throated, 31, 35, 192, 340.
Volatinia splendens, 27.
Vulture, Black, 126, 233, 328.
John Crow, 126.
Turkey, 126, 190, 233, 361.

WARBLER, Audubon's, 46, 310, 367.
Bay-breasted, 307.
Black-and-white, 31–33, 35, 138, 303, 340.
Blackburnian, 35, 37, 38, 132, 133, 139, 341.
Black-fronted, 207.
Blackpoll, 37, 38, 307.
Blackthroated Blue, 36–38, 132, 133, 138.
Black-throated Gray, 46, 367.
Black-throated Green, 31, 36–38, 132, 133, 139, 341.
Blue-winged, 340.
Brewster's, 306.
Calaveras, 340.
Canadian, 132, 133, 139, 342.
Cape May, 37.
Cerulean, 35.
Chestnut-sided, 35, 36, 133, 139, 396.
Golden-cheeked, 341.
Golden-winged, 35.
Hermit, 46.
Hooded, 235, 303, 306, 342.
Kentucky, 342.
Kirtland's, 63.
Lutescent, 46.
Macgillivray's 46, 342, 367.
Magnolia, 133 139, 340.
Mourning, 133, 139, 342.
Myrtle, 33, 37, 132, 340.
Nashville, 307, 340.
Orange-crowned, 340, 367.
Palm, 29, 36.
Parula, 31, 35, 37, 38, 138, 340.
Pileolated, 46.
Pine, 28–30, 139, 341.
Prairie, 35.
Prothonotary, 191, 387.
Swainson's, 191.
Sycamore, 303, 341.
Tennessee, 340.
Townsend's, 367.
Virginia's, 367.
Wilson's, 60, 341, 342, 367.
Worm-eating, 34, 35.
Yellow, 46, 138, 340, 367.
Yellow-throated, 31, 32, 35.
Water-thrush, 133, 139, 341.
Grinnell's, 303, 341.
Louisiana, 34, 303, 342.
Waxwing, Cedar, 340.
Wayne, A. T., late breeding of *Columbigallina passerina*, 72; a belated migrant, 72; the Whip-poorwill wintering near Charleston, South Carolina, 201.

Wheatear, 282.
Whippoorwill, 35, 201, 235.
Widgeon, 165, 198.
American, 165.
Willet, 14, 149.
Wilson, S. B., notice of his 'Aves Hawaiienses,' 63.
Woodcock, 66–69, 286, 385, 386.
American, 12.
Woodpecker, Baird's, 234 362.
Downy, 37, 69, 114, 135, 195.
Golden-fronted, 235.
Hairy, 135.
Harris's, 44, 309.
Lewis's, 355, 394.
Pileated, 135, 286, 355.
Radiolated, 275.
Red-headed, 29, 135.
Yellow-bellied, 109, 135, 275.
Woodruff, L. B., some bird notes from Litchfield, Connecticut, 202.
Wren, 319.
Baird's, 343, 368.
Bewick's, 29, 30, 36.
Cactus, 288, 342, 368.
Cañon, 287, 342.
Carolina, 73, 343.
Dotted Cañon, 368.
House, 140, 319, 343.
Long-billed Marsh, 343, 357.
Parkman's, 343.
Rock, 47, 310, 342, 368.
Short-billed Marsh, 284, 343.
Vigors's, 288, 357.
Western House, 343, 368.
Wren, Western Winter, 47.
Winter, 132, 133, 140, 309.

XANTHOCEPHALUS xanthocephalus, 237, 364.
Xantholæma intermedia, 184.
Xenopsaris albinucha, 175.
Xiphidiopicus percussus, 272.
Xiphocolaptes albicollis, 175.
procurvus, 175.
Xiphorhynchus pusillus, 250.

YELLOWLEGS, 13, 232.
Greater, 13, 149, 232, 354.
Smaller, 389.
Yellowrump, 303.
Yellowthroat, Maryland, 31, 139, 342.
Mirador, 107.
Western, 342, 356, 367.

ZENAIDA zenaida, 123.
Zenaidura macroura, 69, 135, 204, 212, 233, 272, 329, 360.
Zonotrichia albicollis, 33, 132, 281, 302, 338.
capensis costaricensis, 248.
coronata, 356.
leucophrys, 273, 338, 365.
leucophrys gambeli, 309, 356.
leucophrys intermedia, 45, 310, 356, 365.
querula, 338.
Zopilotillo, 325.

ERRATA.

Page 127, lines 23 and 45, for "PATOO" read "POTOO".
" 205, line 35, for "Great-tailed" read "Boat-tailed."
" 229, " 3, " "*Phaëton*" read "*Phaëthon*".
" 276, " 8, " "*flammeola*" read "*flammea*."
" 294, " 32, " "Hammuck" read "Hummuck."
" " " 33, " "on" read "over."
" 295, transfer the two sentences in lines 35, 36, and 37, beginning, "One May 10," and ending, "flying about," to end of paragraph, line 42.
Page 296, line 23, for "loral space" read "patch."
" 306, " 16, for "northwest" read "northeast."